

Chickasaw Co. Recorder Cindy Messersmith Fee Book 2011-1399 Fee Book 20 08/22/2011 @0938AM SCC. SEC COR CERT Page: \$7.00 # Pages: 1

ad by & Raturn to: Harold - Raicks Surveying, 10 East Main Street, New Hampton, 19 50659, Ph. 6-4-954-2-725

## UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE

Land Survey Monuments situated in Section 27, Township 97 North, Range 14 West of the Fifth Principal Meridian, Chickasaw County, Iowa. 1.) Not previously recorded in the County Recorder's office. 2.) Previously recorded in Bk. 148, Pg. 250 in the County Recorder's office.

This certificate is being prepared in compliance with Iowa Code Chapter 355,11 because:

1.) There is no certificate on file for this corner.


2.) There are no longer three valid ties of record. 2.) There are changes to reference ties of record. There is change of monumentation of record.

To clarify description of record monument (ties).

Monument Description and Remarks:

- 1.) North 1/4 Corner: Found P.K. nall with information obtained from the County Engineer's office.
- 2.) South 1/4 Corner: Found 1/2"Ø rebar with information obtained from previous Section Corner Certificate.

Note: Both corners were shown on a Plat of Survey made by Lyle G. Tekippe recorded in Doc. #2004-1056



Date:



I hereby certify that this land surveying document was prepared and the related survey work was performed by me or under my direct personal supervision and that I am a duly licensed Land Surveyor under the laws of the State of Iowa.

er. Heroes Paul R. Herold

License number 15525 My license renewal date is December 31, 2012. Sheets covered by this seal: Individual sheet only

	List Corners to	be Indexed	
Comers	Section	Two.	Range
N 1/4	27	97	14
S 1/4	27	97	14
	Project Numb	er: 2011-072	
F8	: Chickasaw Co	unty 4, Pgs. 8-	10

				11	
	XX DOCUMENT Nº 01.083	FILED FOR RECORD THE	2nd	STATE OF IOWA, CHICKASAN	W COUNTY:
-	DOCUMENT No. ULUSS  RECORDING FEE \$ 5.00	O'CLOCK A . M. ROOK 148 F	C, 19.91. At 10:21	11/ary 1/ K	WALALY RO
					21 21 20
	· UNITED STA	TES PUBLIC LAN	D SURVEY COR	NER CERTIF	ICATE
			OF		
	Land Survey Monuments sit	uated in Section 2	7, Tow	nship <u>97</u>	, Range
	Previously recorded in	Does Not A	an, <u>CHICKA-SA</u> PRLY	in County	County, Iowa.  Recorder's Office.
	(Show reason for preparing this ce mentation found or placed.) Monument Description and I	rtificate, the evidence and de	tailed procedures used in	establishing the come	er positions and monu
	(Show a minimum of three referen recovery of the corner.)	PLA) ce ties to durable physical of	N - VIEW pjects, relevant monumen	ts and physical condi-	ione that will anable
÷	·		•	- In physical collar	Tons that will enable
	CENTER SEC. C	LORNER L'BRC		corc	75:
	`. ]			28 03	7
•		FOUND & BAR 1.5" DEEP, SET &" BAR W/CAP	W & CORN	ER CORB	1-1-1
	ي كلي الم	"BAR W/CAP OVER TOP	FOUND "X" NAI		"Bee
	437	•	6.7	15	
	SET 2 BAR 8 27-97-1	SET E" BAR U	1631 . 62	FOUND PK	NAIL
•	(ar. 0 21-11-1	7.	160.50	cor. CZ	8-97-14
	,				- ,, . ,
	SW COR	NER	FOUND "X" NAI		· I
	FOUND "X" Q SOUTH SI	OE OF		=4/	
	POWER		_	- 4 COR	NER.
	· ·	FOUND KAILROAD SP REPLACED W/5" PI W/CAP	IKE	, 9	NAIL IN FENCE POST
		WICAP WIE HI	OE.	4.92	•
•		\		N FOUNT	o l"BAL 2.5" Z"BAR W/CAP
	E	<b>b</b>		. 5	•
•	FOUND "X" NAILS NOETH SIDE OF	SET "X" NAILS Top OF CORNER	Nan	111	NAIL IN FEINE
	POWER POLE	POST	FENCE	CORNER	
•	Cor B-28	-97-14	Co	rner A 27.	97-14
	I hereby certify that the survey was prepared by me or under	k was completed and this co	nificale	11-6	
	I am a duly registered land survey	irect personal supervision and the state	d that Corners	List Corners to be I Section	Indexed Twp Range
			· 5 字	27	97 14
	Signature: Name typed or printed: L. P. ERD	MAN	W Á	11	11 11
	Date: ZZ MAY 1991 R	eg. No <i>Z88</i> 6	5W	11	ş+ <u>51</u>
	in P. ERDA		CENTER		1.1
	distance of the OISTEN C.	* Congression of the Congression	CENTER		
	1 - 12 × 13 ·	1 COM	0	A .	1,0
	SEAL 2886	7.P. Transier	1 Y.	that in	M
	Sign of the second		6	hul in	
	Branch & TVIII	and the second			
	- A-E-15-100 A-E-15-10		16		

ten 148 00 250 # 2034 Car

Ĭ.